



SPECIALIZED LUBRICANTS

1. Substance/Product Identification

Product Name: 286 High Temperature Grease

**Company/Address: Schaeffer Mfg
102 Barton Street
Saint Louis, Missouri 63104
USA**

Synonyms:

Product Use/Type: Extreme Pressure High Temperature Lubricating Grease

Preparation/Revision Date: 07/22/2010

Product Use/Type: Emergency Phone Number: +1 314 865-4105 (24-hour response number)

**+ 1 314 865-4100 (Business hours 8:30AM-5:00PM)
1-800-325-9962 (US & Canada)**

Website: www.schaefferoil.com

MSDS Number: 286 Version 1.0

2. Hazards Identification

Appearance: Bronze-black color

Odor: Petroleum odor

Principal Hazards: Irritation to respiratory tract

**Hazardous Materials Information System
(U.S.A)**

**Health: 1
Fire: 1
Reactivity: 0**

**National Fire Protection Agency System
(U.S.A.)**

**Health: 1
Fire: 1
Reactivity: 0**

See Section 11 for complete health hazard information

Product Name: 286 High Temperature Grease

3. Composition and Information on Ingredients

Hazardous Ingredients

Ingredient Name	CAS No.	EU Number	Percentage (by wt.)
Polyether Polyol	25322-69-4		80-85
Tricrysel Phosphate (mixed isomers)	1330-78-5	215-58-8	0.5 -1.5
Graphite	7782-42-5	231-955-3	1-4
Molybdenum Disulfide	1317-33-5	215-263-9	1-5
Fumed Silica	7631-86-9	231-545-4	5-8
Dimethyl methylphosphonate	756-79-6	212-052-3	1-3

4. First Aid Measures

Ingestion: Drink plenty of water. Do not induce vomiting. Seek medical attention immediately.

Eyes: Flush eyes with cool clean water for 15 minutes. Seek medical attention immediately

Inhalation: Remove to fresh air. If breathing is difficult administer oxygen

Skin: Wash affected areas with soap and water. Remove contaminated clothing. If irritation or rash develops or persists seek medical attention

Additional Information: None

5. Fire Fighting Measures:

Flash Point: Base oils 450°F (232°C)

Extinguishing Media: Dry chemical foam, Carbon dioxide extinguishing powder

Firefighting Procedures: As in any fire wear a self contained breathing apparatus pressure demand, MSHA/NIOSH (Approved or Equivalent) and full protective gear

Unusual Fire & Explosion: Dense black smoke

Hazards: None expected

Product Name: 286C High Temperature Grease with Copper

6. Accidental Release Measures

Spill Procedures and Clean up methods: Use absorbent materials to contain spill. Collect used absorbent material and discard as dictated by Federal, State, Provincial and local laws and regulations. Keep out of sewers and watercourses

Personal Precautions: Wear appropriate personal protective equipment when cleaning up a spill

Environmental Precautions: This material is not expected to present any environmental problems other than those associated with oil spills if spilled into a watercourse or waterway. The spill must be reported to the National Response Center (U.S. Coast Guard) or the appropriate governmental authorities if the product is spilled into rivers, creeks, streams or other natural waterways or courses. The Coast Guard's Toll Free No. is 800-424-8802.

7. Handling & Storage

Handling: Avoid all contact of product with eyes and skin. Wash thoroughly after handling and before eating, smoking or using toilet facilities. Do not swallow product. Do not inhale vapors or mists. Do not eat, drink or smoke in work areas

Storage: Do not store product at elevated temperatures. Store in a cool dry place that has adequate ventilation. Do not store near food or feed products. Keep containers closed when not in use.

Product Name: 286 High Temperature Grease

8. Exposure Controls and Personal Protection

Occupational Exposure Limits

Ingredient	OSHA TWA	OSHA STEL	ACGIH TWA	ACGIH STEL
Polyether Polyol	15 mg/m ³		10 mg/m ³	
Tricrysel Phosphate (mixed isomers)	10 mg/m ³		15 mg/m ³	
Graphite	10 mg/m ³		15 MPPCF	
Molybdenum Disulfide	10 mg/m ³		15 mg/m ³	
Fumed Silica			10 mg/m ³	
Copper Flake	0.1 mg/m ³		0.2 mg/m ³	
Dimethyl methylphosphonate	NE		NE	

- (s)-Skin exposure
- (p) proposed limit
- (c) – Ceiling limit
- (l) Recommended exposure limit
- (u) supplier limit
- (N/E) – not established

Other Exposure Limits

Engineering Controls: Good general ventilation should be used. If applicable use process enclosures, local exhaust ventilation and other engineering controls to maintain airborne levels below recommended exposure limits

Personal Protective Equipment

Gloves: Impervious oil resistant gloves such as Neoprene, Nitrile rubber

Protective Clothing: Apron and long sleeves recommended

Eye Protection: Chemical goggles or safety goggles

Respiratory Protection: None required under conditions of normal use

Product Name: 286 High Temperature Grease

9. Physical and Chemical Properties

Flash Point: Base oils 450°F (232°C)
Specific Gravity: 1.01 gm/cm³
Upper Flammable Limit (UEL): Not Determined
Lower Flammable Limit (LEL): Not determined
Vapor Pressure: Not determined
Vapor Density (air =1): Heavier than air
Percent Volatile: Nil
Evaporation Rate: Not Determined
pH: Not applicable
Boiling Point: Base oils >400°F (>204.4°C)
Melting Point: >500°F (>260°F)
Appearance: Bronze- black color
Odor: Petroleum odor
Solubility in Water: Insoluble

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise specified

10. Stability and Reactivity

Stability: Stable under normal conditions of normal use
Materials to Avoid: Strong oxidizers, acids and bases
Polymerization: Will not occur under conditions of normal use
Thermal Decomposition: Carbon dioxide and carbon monoxide. Byproducts of incomplete combustion
Conditions to Avoid: Avoid breathing mists and vapors

Product Name: 286 High Temperature Grease

11. Toxicological Information:

Routes of Exposure: Skin, eyes, ingestion and inhalation

Target Organs: Skin, eyes, upper respiratory tract

Acute toxicity

Polyether Polyol

Oral LD50 > 15,000 mg/kg (rat)

Tricrysel Phosphate (mixed isomers)

Oral LD50 >4,640 mg/kg (rat)

Dermal LD50 >4,640 mg/kg (rabbit)

Fumed Silica

Oral LD50 3,160 mg/kg (rat)

Dimethyl methylphosphonate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Acute Exposure

Ingestion: Nausea, diarrhea

Eye Contact: May cause irritation and redness to eyes

Skin Contact: Prolonged and repeated contact may cause irritation, redness and dryness to skin

Inhalation: Heating can generate vapors and mists that can cause nausea, dizziness and other upper respiratory irritation if inhaled.

Dermal Sensitization: Product is not considered to be a dermal sensitizer

Inhalation Sensitization: Product is not considered to be an inhalation sensitizer

Carcinogenicity: Product does not contain any components listed by ACGIH, IRAC, NIOSH, NTP or OSHA

Additional Toxicological Information: No data available to indicate the product or any of its components are present at greater than 0.1% are mutagenic, genotoxic or teatogenic

Product Name: 286 High Temperature Grease

12. Environmental and Ecological Information

Ecotoxicity

Tricrysel phosphate (mixed isomers)
LC50/96 hours 260µg/l (rainbow trout)

Dimethyl Methylphosphonate
EC50 >10mg/l (bacteria)
LC50/96 hours 2,259 mg/l (Oncorhynchus mykiss)

Environmental Fate

Biodegradation: This product is not readily biodegradeable

Bioaccumulation: Product has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

Water Class Hazard (Germany): WK-2 according to appendix 4 VwVwS dated 27.7.2005

13. Disposal Considerations

Waste Handling and Disposal: This product in its neat state when discarded or disposed of is not a hazardous waste according to Federal Regulations 40CFR 261.4 (b)(4). Dispose of product in accordance with all applicable Federal, State, Provincial and local laws and regulations. Do not re-use empty containers

14. Transport Information

US DOT Classification Non-Bulk: Not regulated

US DOT Classification Bulk: Not regulated

IMDG Classification: Not regulated

IATA/ICAO Classification: Not regulated

Canadian TDG: Not regulated

Product Name: 286 High Temperature Grease

15. Regulatory Information

Hazard Symbols



Xn Harmful

R 68/20/21/22 Harmful: Possible risk of irreversible effects through inhalation, in contact with skin and if swallowed

TSCA Inventory: All of the components in this material are on the US TSCA Inventory or are exempt.

State of California Proposition 65: This product does not contain any of the chemicals that are listed on the State of California's Proposition 65 List as potential cancer causing agents or reproductive toxins

US EPA SARA Title III and CERCLA Listings and Reportable Quantities

US EPA Section 311/313 Classifications

This product does not contain greater than 1% of any chemical substance listed under the SARA Title III Section 313, CERCLA's 302/304 and 102(a) Lists

Section 311/312 (40CFR 370)

Acute (Immediate)	Chronic (Delayed)	Fire	Reactive	Pressure Generating
X				

US EPA Section 313 Chemicals

Not applicable

US Tariff Heading Number: 3403.19.0000

Schedule B Number: 3403.19.0000

Product Name: 286 High Temperature Grease

15. Regulatory Information

Other Regulations:

Canada: All of the ingredients of this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substance List

Canadian WHMIS Classifications and Symbols: This product is not considered to be a WHMIS Hazard

EEC: All components are in compliance with the EC Seventh Amendment Directive 92/32/EEC

16. Other Information

For additional information call +1 314-865-4100 (outside the US and Canada) or 1-800-325-9962 inside the United States and Canada.

Although the information and recommendations set forth herein (hereafter referred to as information) are presented in good faith and believed to be accurate and factual as of the date hereof, Schaeffer Mfg. Company makes no representation as to the completeness or accuracy thereof. Information is supplied upon the condition that the person receiving the same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Schaeffer Mfg. Company be responsible for damages of any natures whatsoever resulting from the use or reliance upon information. **No representation or warranty, either expressed or implied, of merchantability or fitness for a particular purpose is made with respect to information of the product to which the information refers. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.**