

# **SAFETY DATA SHEET**

706 Supreme 7000™ Synthetic Plus 2-Cycle

# Section 1. Identification

GHS product identifier	: 706 Supreme 7000™ Synthetic Plus 2-Cycle
Other means of identification	: Not available.
Product type	: Liquid.
Identified uses	
Water cooled, two cycle en	ine oil.
Supplier's details	: Schaeffer Mfg. Company 102 Barton Street Saint Louis, Missouri 63104 Tel: 314-865-4100 Fax: 314-865-4107 Toll Free: 1-800-325-9962 E-Mail: safety@schaefferoil.com Web: http://www.schaefferoil.com
Emergency telephone number (with hours of	: +1 314 865-4105 (24-hour response number)

operation)

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

Substance/mixture

```
: Mixture
```

Ingredient name	%	CAS number
Base Oil(s)(*)	10 - 30	See below.
Solvent naphtha (petroleum), medium aliph.	10 - 30	64742-88-7
1-Decene, homopolymer, hydrogenated	5 - 10	68037-01-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Base oil(s) contained in this material may be described by one or more of the following CAS Nos.: 64742-62-7; 64742-65-0.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.</li> </ul>
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects				
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symptoms				
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: No special measures are required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.		
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. U.S.A. regulations may require reporting spills of this material that could reach any surface waters. Report spills to all applicable Federal, State, Provincial and local authorities and/or the United States National Response Center at (800) 424-8802 as appropriate or required.		
Methods and materials for co	ontainment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

# Section 7. Handling and storage

# Precautions for safe handling Protective measures Advice on general occupational hygiene Compational hygiene Protective measures Protective measures

# Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Base Oil(s)(*) Solvent naphtha (petroleum), medium aliph.	NIOSH REL (United States, 10/2013).         TWA: 5 mg/m³ 10 hours. Form: Mist         STEL: 10 mg/m³ 15 minutes. Form: Mist         ACGIH TLV (United States).         TWA: 5 mg/m³ Form: Oil mist.         STEL: 10 mg/m³ Form: Oil mist.         OSHA PEL (United States).         TWA: 5 mg/m³ Form: Oil mist.         OSHA PEL (United States).         TWA: 6 mg/m³ Form: Oil mist.         OSHA PEL (United States, 2/2013).         TWA: 100 ppm 8 hours.         TWA: 400 mg/m³ 8 hours.         OSHA PEL 1989 (United States, 3/1989).         TWA: 400 ppm 8 hours.         TWA: 400 ppm 8 hours.         TWA: 400 mg/m³ 8 hours.         TWA: 400 mg/m³ 8 hours.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Wear eye protection such as safety glasses, chemical goggles, or face shields if engineering controls or work practices are not adequate to prevent eye contact.
Skin protection	
Hand protection	: Use nitrile or oil resistant gloves.
Body protection	: Personal protective clothing such as gloves, aprons, boots and complete facial protection should be selected based on the task being performed and the risks involved. Users should determine acceptable performance characteristics of protective clothing. Consider physical requirements and other substances present when selecting protective clothing.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved.
Respiratory protection	: If a risk assessment indicates that respiratory protection is required, use a properly fitted, air-purifying or supplied air respirator that complies with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

Physical state: Liquid. [Clear.]Color: Blue.Odor: Aromatic.Odor threshold: Not available.pH: Not applicable.Melting point/ Dropping Point: Not available.Boiling point: 315.56°C (600°F)Flash point: Open cup: 103.89°C (219°F) [Cleveland.]Evaporation rate: Not available.Flammability (solid, gas): Not available.Cover and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature Viscosity: Not available.Viscosity: Not available.Volatility: 20 to 22% (v/v)Volatility: Not available.	<u>Appearance</u>		
Odor:Aromatic.Odor threshold:Not available.pH:Not applicable.Melting point/ Dropping Point:Not available.Boiling point:315.56°C (600°F)Flash point:Open cup: 103.89°C (219°F) [Cleveland.]Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:0.8574Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature Uscosity:Not available.Viscosity:Not available.Volatility:Not available.Volatility:Not available.Volatility:Not available.Vator ignition temperature Composition temperature Composition temperature:Not available.:Not available.Viscosity:Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility:20 to 22% (v/v)	Physical state	:	Liquid. [Clear.]
Odor threshold:Not available.pH:Not applicable.Melting point/ Dropping Point:Not available.Boiling point:315.56°C (600°F)Flash point:0pen cup: 103.89°C (219°F) [Cleveland.]Evaporation rate:Not available.Flammability (solid, gas):Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:0.8574Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature Viscosity:Not available.Viscosity:Not available.Volatility:Not available.Volatility:20 to 22% (v/v)	Color	:	Blue.
pH:Not applicable.Melting point/ Dropping Point:Not available.Boiling point:315.56°C (600°F)Flash point:Open cup: 103.89°C (219°F) [Cleveland.]Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:0.8574Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature Viscosity:Not available.Viscosity::Not available.Viscosity::Not available.Volatility:::Volatility:::Volatility:::Volatility::	Odor	:	Aromatic.
Melting point/ Dropping Point:Not available.Boiling point:315.56°C (600°F)Flash point:0pen cup: 103.89°C (219°F) [Cleveland.]Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:0.8574Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature Viscosity:Not available.Viscosity:Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility:20 to 22% (v/v)	Odor threshold	1	Not available.
PointBoiling point: 315.56°C (600°F)Flash point: Open cup: 103.89°C (219°F) [Cleveland.]Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Viscosity: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	рН	:	Not applicable.
Flash point: Open cup: 103.89°C (219°F) [Cleveland.]Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Viscosity: Not available.Viscosity: Xinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)		:	Not available.
Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Boiling point	:	315.56°C (600°F)
Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Flash point	:	Open cup: 103.89°C (219°F) [Cleveland.]
Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Evaporation rate	:	Not available.
(flammable) limitsVapor pressure: Not available.Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Flammability (solid, gas)	1	Not available.
Vapor density: Not available.Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)		:	Not available.
Relative density: 0.8574Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Vapor pressure	:	Not available.
Solubility: Negligible in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Vapor density	:	Not available.
Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)	Relative density	:	0.8574
octanol/water       Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cSt         Volatility       : 20 to 22% (v/v)	Solubility	:	Negligible in water.
Decomposition temperature: Not available.Viscosity: Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cStVolatility: 20 to 22% (v/v)		:	Not available.
Viscosity         : Kinematic (100°C): 4.1 to 7 cSt Kinematic (40°C): 35 cSt           Volatility         : 20 to 22% (v/v)	Auto-ignition temperature	:	Not available.
Kinematic (40°C): 35 cSt           Volatility         : 20 to 22% (v/v)	Decomposition temperature	:	Not available.
	Viscosity	1	
VOC content         : Not available.	Volatility	:	20 to 22% (v/v)
	VOC content	;	Not available.

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: High heat, high energy ignition sources.
Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing agents.
Hazardous decomposition products	: Oxides of carbon, sulfur, nitrogen and unidentified organics.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

There is no data available.

#### Irritation/Corrosion

There is no data available.

#### **Sensitization**

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

#### There is no data available.

#### Aspiration hazard

Name	Result	
	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1	

Information on the likely routes of exposure	:	Dermal contact. Eye contact. Inhalation. Ingestion.		
Potential acute health effects				
Eye contact	:	No known significant effects or critical hazards.		
Inhalation	:	No known significant effects or critical hazards.		
Skin contact	:	No known significant effects or critical hazards.		
Ingestion	;	No known significant effects or critical hazards.		
Symptoms related to the phy	sic	cal, chemical and toxicological characteristics		
Eye contact	:	No known significant effects or critical hazards.		
Inhalation	:	No known significant effects or critical hazards.		
Skin contact	:	No known significant effects or critical hazards.		
Ingestion	:	No known significant effects or critical hazards.		
	<u>ts</u>	and also chronic effects from short and long term exposure		
Short term exposure Potential immediate		No known significant effects or critical hazards.		
effects	ľ	No known significant effects of childa hazards.		
Potential delayed effects	:	No known significant effects or critical hazards.		
Long term exposure				
Potential immediate effects	1	No known significant effects or critical hazards.		
Potential delayed effects	:	No known significant effects or critical hazards.		
Potential chronic health effects				
General	:	No known significant effects or critical hazards.		
Carcinogenicity	:	No known significant effects or critical hazards.		
Mutaganiaitu				
Mutagenicity	4	No known significant effects or critical hazards.		

## Section 11. Toxicological information

**Developmental effects** 

- : No known significant effects or critical hazards.
- Fertility effects
- : No known significant effects or critical hazards.

#### Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

# Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1-Decene, homopolymer, hydrogenated	>6.5	-	high

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

**AERG** : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

# Section 15. Regulatory information

U.S. Federal regulations	TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me; Naphthalene
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): At least one component is not listed.
	Clean Water Act (CWA) 307: Toluene; Naphthalene
	Clean Water Act (CWA) 311: Toluene; Naphthalene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed
<u>SARA 302/304</u>	
Composition/information	ingredients
No products were found.	
SARA 304 RQ	Not applicable.

## Section 15. Regulatory information

SARA 311/312	
Classification	: Not applicable.
State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: Residual oils (petroleum), solvent-dewaxed; Distillates (petroleum), solvent-dewaxed heavy paraffinic</li> </ul>
Pennsylvania	: None of the components are listed.

#### California Prop. 65

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer. **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer		• •	Maximum acceptable dosage level
Toluene	No.	Yes.	No.	7000 μg/day (ingestion) 13000 μg/day (inhalation)
Naphthalene	Yes.	No.	Yes.	No.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

#### Health: 1 Flammability: 1 Physical hazards: 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

#### Health: 1 Flammability: 1 Instability: 0

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

US Tariff Heading Number	: 3403.19.0000
Schedule B Code	: 3403.19.0000
<u>History</u>	
Date of issue mm/dd/yyyy	: 12/15/2014
Version	: 1
Revised Section(s)	: Not applicable.
Prepared by	: KMK Regulatory Services Inc.

# Section 16. Other information

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



KMK Regulatory Services

Tel:+1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com